

## AMENDMENTS

Please enter the following amendments:

### In the Claims

Please cancel claims 7, 20, and 31 without prejudice or disclaimer.

Please amend the claims below by inserting the underlined text ("\_\_\_\_") and deleting the stricken text ("-----").

1. (Original) In a telecommunication system, a process for addressing data comprising the steps of:
  - a. providing a plurality of devices connected to the system,
    - a first device having an address comprising a geographic portion and a non-geographic portion, said geographic portion comprising at least one geographic identifier to indicate the location of the first device within a predetermined geographic region, said non-geographic portion comprising a customer identifier, wherein said address of said first device comprises a scoped code; and
    - a second device having the ability to construct a message to be transported in the telecommunications system;
  - b. providing a plurality of switches having the ability to examine the message and to direct the message to other places in the telecommunications system;
  - c. providing at least one database accessible by at least one of said switches, said database containing forwarding information corresponding to said address;

d. in said second device, constructing the message, said message including addressing information corresponding to said address of said first device;

e. transporting said message to a first switch for forwarding to a device corresponding to the addressing information;

f. accessing the database to determine forwarding information corresponding to the addressing information; and

g. forwarding the message to a device corresponding to said forwarding information.

2. (Original) The process of claim 1 wherein said forwarding information comprises routing information.

3. (Original) The process of claim 1 wherein said forwarding information comprises information regarding the physical location of said device corresponding to said forwarding information.

4. (Original) The process of claim 3 wherein said forwarding information comprises a network address.

5. (Original) The process of claim 1 further comprising the steps of:

h. sending a setup message from said second device to said first device, wherein said setup message comprises said addressing information; and

i. sending a connect message from the first of said devices to the second of said devices, wherein said connect message comprises information corresponding to the forwarding information corresponding to said first of said devices.

6. (Original) The process of claim 1 wherein said at least one geographic identifier comprises a plurality of geographic identifiers and said identifiers are arranged at least partly in geographically hierarchical relationship to each other in the hierarchical address.

7. (Cancelled)

---

A 8. (Presently Amended) The process of claim 7 1, wherein said at least one geographic identifier comprises the scoped code, wherein a virtual connection is established between the first of said devices and the second of said devices.

---

9. (Original) The process of claim 8 wherein said database is a look-up table.

10. (Original) The process of claim 9 wherein said transporting is carried out using Asynchronous Transfer Mode standard of communication.

11. (Original) The process of claim 10 wherein said address is in an Asynchronous Transfer Mode format.

12. (Original) The process of claim 11 wherein said database is located in at least one of said switches.

13. (Original) The process of claim 11 wherein said database is located in a platform.

14. (Original) The process of claim 13 wherein said platform is remote from said plurality of switches.

15. (Original) The process of claim 1 wherein said message comprises digital units.

16. (Original) A telecommunications system, comprising:

a first device connected to the system, said first device having an address comprising a geographic portion and a non-geographic portion, said geographic portion comprising at least one geographic identifier to indicate the location of the first device within a predetermined region, said non-geographic portion comprising a customer identifier, wherein said address of said first device comprises a scoped code;

a second device connected to the system, said second device having the ability to construct a message comprising addressing information to be transported in the telecommunications system;

a plurality of switches, each having the ability to examine the message and to forward the message to other places in the telecommunications system;

at least one database accessible by at least one of said switches, said database containing forwarding information corresponding to said addressing information;

wherein at least one of said switches forwards the message according to said forwarding information.

17. (Original) The system of claim 16 wherein said forwarding information comprises routing information.

18. (Original) The system of claim 16 wherein said forwarding information comprises information regarding the physical location of said first device.

19. (Original) The system of claim 18 wherein said forwarding information comprises a network address.

20. (Cancelled)

21. (Original) The system of claim 18 wherein the second device, information is converted into a plurality of digital units.

22. (Original) The system of claim 21 wherein said message is transported to a first switch for further transport to said first device.

23. (Original) The system of claim 22 wherein at least one database is accessed to determine forwarding information corresponding to said addressing information.

24. (Original) The system of claim 23 wherein said message is transported to a device corresponding to said forwarding information.

25. (Original) The system of claim 24 wherein said second device sends a setup message to a first of said devices, wherein said setup message comprises addressing information corresponding to said first device.

26. (Original) The system of claim 25 wherein said first device sends a connect message to said second device, wherein said connect message comprises information corresponding to forwarding information corresponding to said first device.

27. (Original) The system of claim 26 wherein a virtual connection is established between the first device and the second device.

28. (Original) The system of claim 27 wherein said message comprises digital units.

29. (Original) A telecommunications system, comprising:

a first network comprising a first switch, said first network having an address comprising a geographic portion and a non-geographic portion, said geographic portion comprising at least one geographic identifier to indicate the location of said first network within a predetermined region, said non-geographic portion comprising a customer identifier, wherein said address of said first device comprises a scoped code;


a second network comprising a second switch and a third switch, said second switch capable of forwarding a message comprising addressing information to said third switch, said third switch coupled to said first network and capable of forwarding a message to said first network;

at least one database accessible by said third switch, said database containing forwarding information corresponding to said addressing information.

30. (Original) The system of claim 29 wherein said first network further comprises a fourth switch and wherein said forwarding information corresponds to forwarding said message to the physically nearest of said first and fourth switches.

31. (Cancelled)

---

 32. (Presently Amended) The system of claim ~~34~~ 29, wherein said at least one geographic identifier comprises the scoped code, wherein said second device is in a network.


---

33. (Original) The system of claim 27 wherein said transporting is carried out using Asynchronous Transfer Mode standard of communication.

34. (Original) The system of claim 32 wherein said forwarding is carried out using Asynchronous Transfer Mode standard of communication.

Please add the new claims 35-38.

---

 35. (New) A telecommunication device having an address, the address comprising:  
a non-geographic portion including a customer identification;  
a geographic portion comprising a geographic identifier, the geographic identifier being indicative of the location of the telecommunication device, the geographic identifier including a scoped code.



~~36.~~ (New) A telecommunication system comprising:

a plurality of telecommunication devices;

an address associated with each of the telecommunication devices, each address comprising a non-geographic portion having a customer identification, each address further comprising a geographic portion indicative of the location of the telecommunication device, the geographic portion comprising a geographic identifier, the geographic identifier including a scoped code.

~~37.~~ (New) In a telecommunication device having an address, a process comprising the steps of:

AB including a non-geographic portion in the address, the non-geographic portion including a customer identification; and

including a geographic portion in the address, the geographic portion comprising a geographic identifier, the geographic identifier being indicative of the location of the telecommunication device, the geographic identifier including a scoped code.

~~38.~~ (New) In a telecommunication system having telecommunication devices, each telecommunication device having an address, a process comprising the steps of:

including a non-geographic portion in each address, the non-geographic portion including a customer identification; and

including a geographic portion in each address, the geographic portion comprising a geographic identifier, the geographic identifier being indicative of the location of the telecommunication device, the geographic identifier including a scoped code.

---